

## **NOTICE INVITING TENDERS**

1. Mizoram Rural Bank invites sealed quotations from reputed Firms/Companies for renovation of our Khawruhlian Branch, Mizoram Rural Bank.
2. Details can be obtained from Fixed Assets and Premises cell, Mizoram Rural Bank, Head office, B-5, Babu tilla, Zarkawt, Aizawl Mizoram on any working day from publication of this notice till 9<sup>th</sup> November, 2020 up to 1:00 p.m during office hours.

**(LALCHHANHIMI)**  
CHIEF MANAGER(P & OA)  
MIZORAM RURAL BANK  
HEAD OFFICE

**No. CM(FA)/2020-21/331**  
**MIZORAM RURAL BANK**  
**HEAD OFFICE**  
**Babu Tilla, ZARKAWT, AIZAWL, MIZORAM**

**Phone: ( 0389) - 1246384**                      **e-mail: [fa@mizobank.com](mailto:fa@mizobank.com)**  
**Website: <https://mizoramruralbank.com>**

**PART - I**

- |   |   |
|---|---|
| 1. Name of Authority Inviting Tender      | <b>Mizoram Rural Bank<br/>Head Office</b>   |
| 2. Name of work                           | <b>Renovation of Khawruhlian Branch</b>   |
| 3. Location                               | <b>Khawruhlian</b>  |
| 4. Completion period                      | <b>30 (thirty) days from the date of issue<br/>of work order</b>                        |
| 5. Deadline for receiving bids            | <b>9.11.2020 up to 1:00pm</b>   |
| 6. Date, Time & Place for opening of Bids | <b>10.11.2020 at 2:00pm in the Board<br/>Room, Head Office , Mizoram Rural<br/>Bank</b> |

**INTERIOR RENOVATION WORKS OF KHAWRUHLIAN BRANCH**

sl.no	Description of items	Unit	Qty	Rate (₹)	Amount
1	<p><b>SWO COUNTER:</b> Supply and installing new Swo Counters of overall size <b>1680 mm X 1830 mm X 750 mm</b>, including cost of side credenza (<b>1200mm x 450 mm x 750 mm</b>) made up of 19 mm thick Block board of approved brand all around and finished with laminate of 1.0 mm thick of approve colour, brand and shade. The cost to include three drawers of 375 mm wide made up of 6mm/12mm ply of approved brand on right hand side of the table on telescopic slider with partitions for keeping of notes of different denominations, a keyboard tray 250 mm wide, CPU stand, foot rest as designe and direction by bank. The credenza unit should have openable/sliding shutter cupboard and intermediate horizontal shelves made in 12 mm thick plywood. All exposed edges to have teak wood bidding/lipping stained to match the desk and melamine finished. All inner surface to be finished with mat finish enamel paint of approve brand. The works to include all hardwares such as castors, brass hinges. ball catchers, fully extendable drawer slides, auto locks, handles etc. of Godrej or approved make. Locks to be of single control type Design and detail of the counters shall be as per Bank's new uniform colour, layout &amp; elevation policy, with curvature on front with flexi ply. Counter &amp; Credenza top to be provided with 8mm thick glass duly finished on edges and necessary cut to accommodate wires, edges to be m/c polished, with ms powder coated wire manager, complete as directed by EIC and placement as per layout given.</p> <p>Ply/Block Board Make: MR Grade of Century/ Green/Archidply or equivalent. Laminate Make: Greenlam/Centurylar/Archidiam or equivalent</p>	Each	3		
2	<p>Providing &amp; fixing <b>counter Front 12 mm thick float glass</b> with polished edges fixed with necessary SS Brush finish brackets support on wooden partition as directed. Rate shall includes fixing of frost film as per design &amp; directed, cost of studs, making cut-outs for transaction and voice hole</p>	SQM	2		

3	<p>Supply and installing <b>Branch Head Table of size 2130 mm x 1830 mm x 750 mm</b> including cost of side credenza (<b>1080mm x 600mm x 750 mm</b>) <b>made up of 19mm thick Block board</b> all around, finished with 1 mm thick laminate of colour, shade &amp; brand as approved. The table cost to include (pedestal), three drawers of 450 mm wide made with 6mm/12mm ply on right hand side on telescopic slider and a keyboard tray 250mm wide, CPU stand, foot rest as per design and direction by bank. The credenza unit should have openable/sliding shutter cupboard and intermediate horizontal shelves made in 12 mm thick plywood. All exposed edges to have teak wood lipping/ bidding of requierd size stained to match the desk melamine finished. All inner surface to be finished with mat finish enamel paint of approve brand. The works to include all hardwares such as: castors, brass hinges, ball catchers, fully extendable drawer slides, auto locks, handies etc of Godrej or approved brand. Locks to be of single control type. Design and detail of the table shall be as per direction of EIC. All the surfaces to be in laminate finish &amp; Bmm thick glass duly finished to be placed on top of table &amp; credenza and necessary cut-out to accommodate wires, edges to be m/c polished, with ms powder coated wire manager complete as per Bank's new uniform colour layout &amp; elevation policy</p> <p>Ply/Block Board Make: MR Grade of Century Green/Archidply or equivalent Laminate Make: Greenlam/Centurylam/Archidiam or equivalent.</p>	Each	1		
---	--	------	---	--	--

4	<p>Supplying and Installing Tables of Overall size - <b>1680 mm X 1830 mm x 750 mm</b> including cost of side credenza (1230 mm x 450 mm x 750 mm made up lof 19mm thick block board of approved brand all around and finished with 1 lmm thick laminate colour brand and shade as approved by the Bank The table cost to include (pedestal) three drawers of 375 mm wide made with 6mm/12mm ply or right hand side on telescopic slider, a keyboard tray 250mm wide with CPU stand and foot rest as per design and direction by Bank. The credenza unit should have openable/sliding shutter cupboard and intermediate horizontal shelves made in 12 mm thick plywood. All exposed edges to have teak wood lipping/bidding of required size, stained to match the desk and melamine finished. All inner surface to be finished with mat finish enamel paint of approve brand The works to include all hardwares such as: castors, brass hinges, ball catchers, fully extendable drawer slides, auto locks, handles etc. or Godrej or approved make. Locks to be of single control type. Design and detail table shall be as per direction of EIC All the surfaces to be in of the laminate finish &amp; Bmm thick glass duly finished to be placed on top of table &amp; credenza and necessary cut-out to accommodate wires, edges to be mic polished, with ms powder coated wire manager complete as per Bank's new uniform colour, tayout &amp; elevation policy.PlyBlock Board Make MR Grade of Centuryl Green/Archidply or equivalent. Laminate Make Greenlam/Centurylam/Archidiam or equivalent.</p>	Each	2		
---	---	------	---	--	--

5	<p>Supplying and installing Server room running Tables 600 mm wide, made up of 19mm thick Block board of approved brand for top and vertical support, finished with 1 mm thick laminate of colour, brand and shade as approved by the Bank. The table cost to include to provide one drawers of &amp; one openable shutter made up of 6mm/12 mm ply, a keyboard tray 250mm wide and CPU stand stand as per design &amp; direction of bank. All exposed edges to have teak wood shipping/bidding of required size stained to match the desk and melamine finished The works to include all hardware like castors, brass hinges, ball biall catchers, fully extendable drawer slides, auto locks, handles etc. of Godrej or approved make. All inner surface to be finished with mat finish enamel paint of approve branacd. Design and detail of the table shall be as per direction of EIC. All the surfaces to be laminate finish and necessary cut out to accommodate wires, edges to be m/c polished, with ms powder coated wire manager complete as per Bank's new uniform colour, layout &amp; elevation policy</p> <p>Ply/Block Board Make: MR Grade of Centuryl Green/Archidply or equivalent Laminate Make: Greenlam/Centurylam/Archidiam or equivalent</p>	RM	3		
6	<p>Providing and fixing floor mounted writing desk of size 1200mm x 300mm x 900mm(H) made of 19 mm 12 mm ply with 12 mm thick float glass on top and voucher pigeon holes as per design &amp; direction of bank, with laminated boards support</p>	Each	1		

7	<p>Fabricating and installing Grahak Mitra table of overall size - 1520mm x 600mm x 750 mm in straight or curved profile made up of 19mm thick block board of approved brand all around and finished with 1 mm thick laminate of brand, colour and shade as approved by the Bank. The table cost to include three drawers of 375 mm wide made with 6mm/12mm ply on right hand side on telescopic slider, a keyboard tray 250mm wide, foot rest &amp; CPU stand. The works to include all hardwares such as: castors, brass hinges, ball catchers, fully extendable drawer slides, auto locks handles etc. of Godrej or approved make. Locks to be of single control type. All exposed edges to have wooden lipping/bidding of required size, stained to match the desk and melamine finished. All the surfaces to be in laminate finish &amp; 8mm thick glass duly finished to be placed on table and necessary cut-out to accommodate wires, edges to be mic polished, with ms. powder coated wire manager complete as per Bank's new uniform colour, layout &amp; elevation policy</p> <p>Ply/Block Board Make: MR Grade of Century/ Green/Archidply or equivalent Laminate Make: Greenlam/Centurylam/Archidiam or equivalent.</p>	Each	1		
8	<p>Fabricating and facing full height semi glazed partition, made of 6 mm ply of approved brand in both side and to be finished with 1 mm thick laminate of approved brand, colour and shade over 50 mm x 50 mm thickness not less than 1.5 mm) . Frame should be firmly fixed to the ceiling Middle portion at 900 mm to 2100 mm height shall have 6 mm thick plain float glass (Make Saintgobin/Modigurd) fixed with 10 mm thick teak wood moulding duly polished. All exposed edge shall be covered with teakwood lipping bidding with polishing complete in all respect, Payment will be made for the area upto false ceiling only.</p> <p>Ply/Block Board Make MR Grade of Centuryl Green Archidply or equivalent. Laminate Make: Greenlam/Centurylam/Archidlam or equivalent</p>	SQM	48		
9	<p>MAIN GATE: Providing and fixing glazed door made of 12 mm thick float glass (Make: saintgobin, modigurd) with frosted film fixed in between top &amp;</p> <p>bottom rail and side stile teak wood framework of size 125 mm x 50 mm The framework to be finished with 10 mm thick laminate on both side. Glass to have acid etched design pattern with logo as directed. Doors to be mounted on heavy duty floor spring Rate shall includes all hardwears such as Two nos S.S. finish handle, lock, door stoper hinge, tower bolt etc of approved make</p>	Each	1		

10	False ceiling Providing and fixing suspended false ceiling with 600x600 mm size & 12mm thick mineral fiber ceiling tiles of Armstrong dune or approved make. Suspenders, frame work as per manufacturer's specifications. The item to include cost of making necessary cut-outs for lights/air-conditioning grills as per design direction by bank	SQM	85		
11	Supplying, providing and fixing Godrej Cylindrical night latch lock at cash enclosure doors	EACH	4		