e-mail: fa@mrb.bank.in

Ref.: CM(FA)/2023-24/37 Dated: 03/10/2025

INVITES TENDERS FOR

INTERIOR WORKS AND ELECTRICAL WORKS FOR BUALPUI NG BRANCH LAWNGTLAI DISTRICT

Submission Start Date: 03-10-2025 Last date for Submission of Tender: 31-10-2025 3:00 PM Opening of Tender: 31-10-2025 3:30 PM

The interested Firms /Contractors etc. may submit their bids to:

The General Manager
Mizoram Rural Bank, Head Office
MINECO, KHATLA, AIZAWL
MIZORAM 796001

The Bidder should submit their Bid/Quotation in two parts Envelope -I '**Technical Bid**' & Envelop-II '**Financial Bid**' in separate sealed envelopes with a superscription

"INTERIOR WORKS AND ELECTRICAL WORKS FOR BUALPUI NG BRANCH LAWNGTLAI DISTRICT"

Notice Inviting Tender

Mizoram Rural Bank invites Tender from reputed firms/contractors for Interior works and Electrical works for Bualpui NG Branch.

1	Name of Work	:	INTERIOR WORKS AND ELECTRICAL WORKS FOR
			BUALPUI NG BRANCH
2	Place or Work	:	Bualpui Ng, Lawngtlai District, Mizoram 796901
3	Date of Commencement of Works Time of Completion	1:	7 days from the date of issue of work order
	Time of Completion		60 days from receipt of the Work Order 6 months from the date of issue of virtual completion and
5	Defect Liability Period	•	handing over the completed work for the Bank
6	Estimated cost	:	
7	Earnest Money Deposit		 2% of the bid amount: BID SECURITY/EARNEST MONEY DEPOSIT:- Bid Security /Earnest Money shall be paid by Mizoram Rural Bank Call Deposit on any Branch of Mizoram Rural Bank. Quotation/bid should be accompanied by a Mizoram Rural Bank Call Deposit Receipt amount of 2% of the Bid Amount as earnest money, drawn in favor of "Mizoram Rural Bank, Head Office". Bid Security/ Earnest Money in cash or in any other form will not be accepted. A Bid (Tender) not accompanied by the Bid Security shall be summarily rejected. Interest shall NOT be payable on the Bid Security/Earnest Money deposit. Bid Security / Earnest Money of the unsuccessful bidder will be refunded without interest within reasonable time after final decision of the tender.
8	Place of Submission	:	Mizoram Rural Bank, Head Office ,Mizoram New Capital Complex (MINECO), Khatla, Aizawl, Mizoram 796001
9	Place of opening Tenders	:	Mizoram Rural Bank, Head Office ,Mizoram New Capital Complex (MINECO), Khatla, Aizawl, Mizoram 796001
10	Envelope -I "Technical Bid"	:	Containing: 1) Earnest Money Deposit receipt 2) GST Registration Certificate 3) Voter's ID/Adhaar card /any ID of the proprietor of the firm, 4) List of Work done/Completion Certificate having completed similar works.(if any) If the above 1 to 3 are not found as prescribed, the tender shall be rejected.
11	Envelope -II "Financial/Price Bid"	:	Containing Financial/Price Bid shall be opened of those bidders, whose Technical Bid is found in order.
12	General Instructions/ Terms & Conditions	:	 Delay in Submission arising out of postal or any other irregularities will not be considered. The Bank in any case will not be responsible for any damage in transit in case of postal delivery. The rates quoted shall include all Taxes, Transport, handling charges on materials, labour etc but exclude GST The Bank will not be bound to accept the lowest tender and reserves the rights to accept or reject any or all the tenders without assigning any reason whatsoever. The firm shall be responsible for compliance of the labour laws in respect of the personnel employed by them. The
			firm shall be the employer for its workers and the Bank will not be held responsible fully or partially for any dispute that may arise between the firm and its workers.
		:	The Tenderer should visit the site and acquaint himself with the site conditions before quoting.

:	6)	All corrections should be attested under the full signature of the contractor.
:	7)	Every page of the tenderer document should be duly signed with a seal by the tenderer.
:	8)	The tenderers are advised to visit the site before submitting the rates.

⊘ MRB

Tender Details

Department				Ref.No.:						
Brief scope of				TENDER FOR	INT				OR	KS FOR
work	Ŀ					BUALP	JI NG BRANC	H		
Product / service / work keywords	:	Interior	Со	mposite Works	s & E	lectrical wor	rks			
Estimated Cost	:									
Stage	:	Two	wo Envelope : Technical-I & Financial/Price -II							
Type of contract	:			Contract / Fix	ed P	rice Contrac	ct			
Document	:	Downlo								
Bid Submission	Co	nfigurati	on						1	T
Mode of Submission	:	Offline					Bidding Acce	SS	:	OPEN
Base currency	:	INR								
Consortium	:	Not Allo	owe	ed			Bid Withdraw	al	:	Allowed (Before Bid Submission Deadline)
Key configuratio	n									,
Bidding variant	:	N/A					Pre-bid meeting		:	N/A
Place, Time and	dat	e for su	bm	ission of Tend	der					
Tenders are availa	able	e at	:	https://www.r	nrb.b	oank.in/				
Bid submission sta	art	date : 03/10/2025				Time		:	11:00 AM	
Bid Submission er	nd (date : 31/10/2025		31/10/2025			Time		:	3:00 PM
Bid opening date		: 31/10/2025				Time		:	3:30 PM	
Document / EMD	/ S									
Document fees	:	Not req	uire	ed	Security fee				:	Don't allow
EMD	:	2% of t	he	bid amount	Event-wise registration charges applicable			:	Not required	
Schedule of Wor	ks									
Period of : 7 days from the date of commencement : ssue of the work order.			Security fee		:	Don't allow				
Duration of 60 days from receipt of		Defects liability period			:	12 months from the date of issue of virtual completion and handing over the completed work for the Bank				

Eligible Taxes

- 1. Contractor should have GST Registration Number.
- 2. The invoice should specifically/separately disclose the amount of GST levied at the applicable rate as per GST provisions/Rules.
- 3. In case of correction in the bills after scrutiny, the contractor should submit fresh bills for payment.
- 4. The contractor should timely file his GST return in accordance with GST provisions to enable the bank to claim the credit of GST paid to the contractor.

Terms of Payment of Bills

- 1. No Advance will be paid
- 2. No RA Bill will be entertained and the final Bill will be paid on satisfactory completion of the works as per measurement of actual quantity
- 3. The bill may be submitted to "The Chairman, Mizoram Rural Bank, Head Office, MINECO, Khatla, Aizawl, Mizoram" for payment of bills after complete and satisfactory delivery of the item.
- 4. The GST number of MIZORAM RURAL BANK: GSTIN 15AAAAM1725F1Z3

SCOPE OF WORK/ CONTRACT

The Brief Scope of work involves the following:

- 1. False ceiling
- 2. Various furniture work consists of Work stations, partitions, storage etc.
- 3. Painting
- 4. GLASS WORK, PANELLING ETC
- 5. Various Electrical works consists of Lan Cabling etc
- 6. Floor Tiles/Carpets
- 7. Bricks Wall Construction with Toilet reconstruction
- 8. Windows bar/Grill/Rolling Shutters etc.
- 9. Flooring
- 10. Generator Shed with RCC flooring

The Contractor shall carry out and complete the said work in every respect in accordance with this Contract and with the directions of and to the satisfaction of the Employer. The Architect with approval of Employer or Employer issue further drawings and/or written instructions, detailed directions, and explanations which hereafter collectively referred to as 'Instructions' in regard to:

- a) The variation or modification of the design quality or quantity of works or the addition or omission or substitution of any work.
- b) Any discrepancy in the drawings or between the estimate and/or drawings and/or specifications.
- c) The removal from the site of any defective material brought thereon by the contractor and the substitution of any other material thereof.
- d) The demolition removal and/or re-execution of any work executed by the contractor/s.
- e) The dismissal from the work of any persons employed there upon.
- f) The opening up for inspection of any work covered up.
- g) The rectification and making good of any defects under clauses hereinafter mentioned and those arising during the maintenance period (Defect Liability Period). The contractor shall forthwith comply with and duly execute any work comprised in such Employer's or his agent / Architect's instructions, provided always that verbal instructions, directions and explanations given to the contractor's or his representative upon the works by the Employer's or his agent / Architects shall, if involving a variation, be confirmed in writing to the contractor/s within seven days. No works, for which rates are not specifically mentioned in the estimate, shall be taken up without written permission of the Employer. The employer as provided in clause "variation" shall fix rates of items not mentioned in the estimate.

GENERAL CONDITIONS OF THE CONTRACT

In constructing these conditions, the specifications, the schedule of quantities, tender following words shall have the meaning herein assigned to them except where the subject or context otherwise requires.

- i. Employer: The term employer shall denote Mizoram Rural Bank having Head office at MINECO, Khatla, Aizawl, Mizoram and any of its employees' representative authorized on their behalf.
- ii. RA: The term RA shall mean Running Account Bill

- iii. Advance payment means a payment made on a running account to a contractor for work done by himiv. Contractor: The term contractor shall mean ______ (Name and address of the contractor)
- v. Site: The site shall mean the site where the works are to be executed including any building and erection thereon, allotted by the employer for the contractor's use.
- vi. Drawings: The work is to be carried out in accordance with drawings, specifications, estimates, and any further drawings which may be supplied or any other instruction, which may be given by the Employer or Architects during the execution of the work. All drawings relating to work given to the contractor together with a copy of estimates are to be kept at the site and the Employer / Architects shall be given access to such drawings or estimates wherever necessary. In case any detailed Drawings are necessary contractor shall prepare such detailed drawings and/or dimensional sketches and have it confirmed by the Employer as the case may be before taking up such work. The contractor shall ask in writing for all clarifications on matters occurring anywhere in drawings, specifications, and estimates or for additional instructions at least 10 days ahead of the time when it is required for implementation so that the Employer may be able to give a decision thereon.
- vii. "The Works" shall mean the work or works to be executed or done under this contract.
- ix. "The Estimates" shall mean the estimate as specified and forming part of this contract.
- x. "Priced bid" shall mean the price with the accepted quoted rates of the contractor.
- xi. 'Notice in Writing' or written notice shall mean notice in writing, type or printed characters sent (unless delivered personally or otherwise provided to have been received) by registered post to the last known private or business address or registered office of the addressee and shall be deemed to have been received when in the ordinary course of post it would have been delivered.
- xii. 'Virtual Completion' shall mean the premise is in the opinion of the Employer fit for occupation.
- xiii. Words importing persons include firms and corporations. Words importing the singular only, also include the plural and vice versa where the Context requires.
- Xiv. Ownership of Drawings: All drawings, specifications, and copies thereof furnished by the FA Dept. are the properties of the MRB. They are not to be used on other work.

BRANCH NAME : ______ ESTIMATE/PRICE_BID FOR INTERIOR & ELECTRICAL WORKS

То	Date

SI.	Description of Item	Unit	Qnty.	Rate	Amount (in Rs.)
No	•	Offic	Qiity.	Nate	Alliount (iii Ks.)
1	Cash Counter Cubicles Providing and fixing Single Window (SW) counter cubicles. The standard SW cubicle pattern consists of a combination of three counters — with one open cubicle between two closed cubicles. Each cubicle shall be of a size not less than 60 inches (L) x 72 inches (D) x 30 inches (H) and shall comprise the following components:	Nos	3		
	Note: The rate should be quoted per cubicle, inclusive of the cost of partition, door, counter table, side table, front and side vertical glasses.				
	 i) Partition with Door (Night Latch Lock): Each SW cubicle shall have a partition of minimum 60 inches x 72 inches, including a flush door (60 inches high) fitted with a night-latch lock and a 5-inch D-handle. ii) Counter Table: The writing top of the counter shall be of minimum 60 inches width x 34 inches depth, placed at approximately 30 inches height, made from 17mm/18mm thick Durataff ply structure, overlaid with a double layer of Flexiply (12mm + 6mm thick). All exposed external surfaces shall be finished with Durataff laminate of approved shade. Internal surfaces shall also be finished with Durataff laminate. Front counter support (30 inches high) shall include a design element made from 36mm ply finished with matching laminate. One unit consisting of three drawers with an auto-locking system, approximately 16 inches wide x 28 inches high x 23 inches deep, made with 17mm/19mm Durataff ply on the front and both sides. The unit shall have 3 drawers of equal height and 1 bottom drawer of 10 inches height. Features to include telescopic drawer slides, individual auto-locking mechanisms, 4 inch long brushed etaiplace steel handles.				
	 4-inch long brushed stainless steel handles, and lipping. The topmost drawer (cash drawer) shall be provided with denomination partitions using 				

10mm thick Durataff ply, and finished with 1mm thick post-formed laminate in approved colour and shade.

iv) Side Table Unit:

Providing and fixing a side storage cabinet of size 36 inches. The cabinet top shall include an extended portion of 12 inches for additional workspace.

v) Counter Front Glass and Side Vertical Glass:

- Providing and fixing 12mm thick toughened glass using PT standard fittings like PT 90/PT 92 (Dorma or equivalent) for the counter front and verticals.
- Glass size for the counter front: 60 inches wide x 24 to 32 inches high.
- Vertical partition glass: 50 inches wide x 16 inches high at top and 8 inches at bottom.
- Includes cutting, drilling holes, fixing fittings to partition/glass/floor, and sealing with necessary screws and sealants.

vi) Keyboard Tray:

Made from 17/18mm thick Durataff ply with laminate of approved shade and colour, fitted with telescopic slides and a 50mm diameter SS brush finish wire manager of approved quality.

vii) Footrest cum CPU Stand:

Fabricated using 17/18mm Durataff ply, finished with laminate of approved colour and shade, designed to support both footrest and CPU.

viii) Finishing:

All concealed faces of ply shall be treated with one coat of wood preservative paint.

- All exposed edges/faces shall be provided with beading, finished with DUCO/PU paint, as per the satisfaction of the Client/Architect.
- The inside of tables and drawers shall be finished with laminate in approved colour and shade.

			, , , , , , , , , , , , , , , , , , ,
2.	TABLES WITH PU/DUCO PAINTED EDGE MOULDING		
	Providing and fixing in position tables of the		
	following sizes, made using 17/18mm thick Durataff		
	ply for the top, sides, and front supports. Each table		
	shall include a three-drawer unit, cabinet unit,		
	keyboard tray with telescopic sliding arrangement,		
	and a CPU base (150mm wide) resting on a		
	footrest, along with an 18mm Durataff ply modesty		
	panel.		
	 All external surfaces shall be finished with Durataff laminate. 		
	All internal surfaces shall be finished with		
	Durataff laminate of approved shade and		
	make.		
	 The table shall be fitted with powder-coated 		
	hardware, including:Telescopic sliding		
	channels for keyboard and		
	drawers, Medium-duty hinges for shutters,		
	Cable manager, 4-inch long stainless steel		
	(SS) brush finish handles of approved design and size, and Locks wherever		
	directed, of approved make.		
	оптолов, от оррания		
	The edges of the table shall be provided with		
	beading/moulding and painted with PU/DUCO		
	paint.		
	All exposed ply edges shall be finished with		
	beading, polished with three coats of French polish in approved shade.		
	All necessary hardware including locks for shutters		
	shall be provided, complete in all respects.		
	Table Sizes:		
	i)Branch Manager Table:	1	
	72" (L) x 38" (D) x 30" (H) ii)Officer Table:		
	60" (L) x 30" (D) x 30" (H)	1	
	iii)Assistant/Clerical Table:		
	50" (L) x 27" (D) x 30" (H)		
	iv)Grahak Mitra Table:		
	60" (L) x 50" (D) x 30" (H)	1	
3.	MEETING / DINING TABLE		
	Providing and fixing a meeting/dining table of size		
	48" x 36", made as per the specifications of Table		
	Item No. 2, but without drawers or storage units,		
	complete as directed. CUSTOMER TABLE: (5ft x 2ft x30inch) Providing		
4	& Fixing table made with specification same as of	3	
•	Table item no.(2) above but without drawer		
	PASSBOOK UPDATE/CW TABLE/SERVER		
	TABLE		
5	(5ft x 2ft x30inch) Providing and fixing table made	2	
1	with specification same as of Table item no.(2)		
Ī	Obovo but with droworkstored west seems et		
	above but with drawer/storage unit complete as directed and making holes for cable manager.		

6	8 MM GLASS ON TABLE TOP Providing and fixing 8mm thick glass on table top size 60 to 70inch including edge polishing and making holes for cable manager.		6	
7	SIDE CREDENZA TABLE CUM STORAGE CABINET Providing and fixing side credenza table of size 35inch to 48inch long, 16/17inch deep X 30inch high with 2 drawer units /openable shutter cabinet with shelve made out of 17/18 mm thick ply with beading on edges, 6 mm thick commercial ply on back with one coat of wooden primer, laminate/paint on all external surfaces & laminate/paint on all internal surfaces, 4" long brush finished stainless steel handles, locks, magnets for shutters and three coats of French polish to beading.		2	
8	STORAGE CABINETS: Providing and fixing 16/17inch deep X 30inch high Storage Cabinets made out of 17/18 mm thick commercial ply with beading on edges, 6 mm thick commercial ply on back with laminate ply, laminate/paint on all external surfaces & laminate/paint on all internal surfaces, 4" long brush finished stainless steel handles, locks, magnets for shutters and three coats of French polish to beading.		20	
9	EXTRA COST OVER STORAGE CABINETS Extra cost over item no. 8 (storage cabinets) for providing deep more than 16/17mm up to 24inch and also for fixing it as overhead cabinets		6	
10	FIXED WRITING LEDGE WITH BOX PANELING Providing and fixing writing ledge made of 17/18mm ply and 12mm glass fixed to wall in such a way that the ledge shall be supported to the side boxing 6"x6". The 6"x6" boxing shall be extended up to a height of 82inch in the shape of inverted U. The ledge table as per drawing size about 48inch long and 12 to 16inch width to shape at about 42inch from floor level finished with laminate of approved colour and shade. The ledge will have 12mm clear float glass with edge polished at top & bottom and 6 verticals to be fixed on ply boxing with with necessary S.S "D" bracket.		3	
11	CURTAIN : Supply & fixing 36 inch wide x 84inch high approved make approved colour curtain with drapery rods complete with twisting and sliding arrangements as required.		22	
12	EMULSION PAINT Prepare surface and paint two coats of plastic emulsion paint of approved colour and shade over a coat of primer including wall putty after thoroughly scrapping the existing internal walls	Sqft	1,368	
13	ENAMEL PAINT Prepare surface and applying two coats of Synthetic Enamel paint of approved colour and shade over a coat of anti Corrosive paint after thoroughly scrapping the existing paint	Sqft	780	
14	GYPSUM BOARD/PVC FALSE CEILING: Providing & Fixing in horizontal level false ceiling as required. Note: The false ceiling area will be measured in flat area only	Sqft	1,428	

15	SYSTEM SERVER TABLE: (5ft x 2ft x30inch) Providing & Fixing table made with specification same as of Table item no.(2) above but with drawer/storage unit complete as directed and making holes for cable manager.		1	
16	PANELLING TO WALL / COLUMN WITH 17/18MM laminate ply Providing and fixing paneling to wall/ column with 17/18mm thick laminate ply screwed firmly to the wall/ columns and painting/laminate in specified designs & approved colors, with skirting, etc. complete in all respect in vertical plum level and as directed with beadings polishing complete as directed		5	
17	fixing flush doors of solid/ partly glazed/ fully glazed in a partition with 35mm thick solid core flush shutter finished with 1mm laminate of approved color and shade on both sides with necessary grooves, 8mm thick clear float glass of size 250 x 1400mm with etching fixed with required size rebate TW/ beach wood molding/ beading as per drawing. Each door shutter shall be provided and fixed with hardware fittings like hinges (4nos.), hydraulic door closer, door stopper, mortice lock, SS brush finish handles 32mm dia & 600mm long on both sides, etc. ('Dorma' or equivalent make). All frames and shutters to be polished with melamine polish/duco/PU paint after properly preparing the surface. 12MM THICK HALF SOLID GLAZED PARTITION		13	
18	Providing and fixing double skin solid/fully or partly glazed partition with 6mm thick glass panels with film/ etching/ acid wash in designs/ patterns for heights above 82inch & up ceiling height as per drawing.	Sqft	567	
19	<u>Floor Tiles:</u> Providing and fixing Floor tiles/Carpet with not less than 1mm thick, floor Area 2003.23 sq/ft	Sqft	1,428	
20	<u>Document Room Partition:</u> Providing and fixing doors, ventilator shutters and partitions, etc.	sqft	720	
21	Providing PVC Wall Lining			
22	UPS Room/ Door Partition	sqft	120	
23	Providing Main Door Rolling Shutter with Air Conditioner Panel Door	Sqft	150	
24	Providing and Fixing of bricks wall 144 sqft	Sqft	250	
25	Pantry Table & Sink		1	
26	Toilet and Plumbing 25sqft		2	
27	Providing Window Bar/Grill	Sqft	120	
28	ELECTRICAL WORKS: POINT WIRING:			
	 Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq. mm FR PVC 		80	

	insulated copper conductor single core cable in surface heavy gauge PVC conduit,		
	with modular switch, modular plate, suitable		
	GI box and earthing the point with 1.5 sq.		
	mm. FR PVC insulated copper conductor		
	single core cable etc as required.		
	Wiring for group controlled (looped) light point/fan point/exhaust fan point/ call bell		
	point (without independent switch etc.) with		
	1.5 sq. mm FRLS PVC insulated copper		
	conductor single core cable in surface/		
	recessed PVC conduit, and earthing the		
	point with 1.5 sq. mm FRLS PVC insulated		
	copper conductor single core cable etc. as		
	required. 3. Wiring for twin control light point with 1.5 sq.		
	mm FRLS PVC insulated copper conductor		
	single core cable in surface /recessed		
	medium class PVC conduit, 2-way modular	10	
	switch, modular plate, suitable GI box and	10	
	earthing the point with 1.5 sq. mm FRLS		
	PVC insulated copper conductor single core cable etc. as required		
	4. Wiring for wall mount fans with 3 Module		
	Box along with 1 no 6A socket and 1 no 6A		
	Switch including 3 runs of 1.5 sq.mm PVC	10	
	FR copper conductor including all		
	connections etc. as reqd.		
	Earthing with copper earth plate 600 mm X 600 mm		
	X 3 mm thick including accessories, and providing		
29	masonry enclosure with a cover plate having	1	
	locking arrangement and watering pipe of 2.7		
	meters long etc. with bentonite /charcoal/ coke and salt as required.		
	1. Providing and fixing 4.00 mm dia copper		
	wire on the surface or in recess for loop		
	earthing along with existing surface/		
	recessed conduit/ submain wiring/ cable as		
	required.		
	Supplying and fixing 5 A to 32 A rating, 240/415 V,		
	10 kA, "C" curve, miniature circuit breaker suitable		
	for inductive load of following poles in the existing MCB DB complete with connections, testing, and		
	commissioning etc. as required.		
30	a Single pole		
	b Single pole and neutral	110	
	c Double pole	6	
	d Triple pole e Triple pole and neutral	4	
	2pio polo ana noutidi	4	
	MCD/DD		
	MCB/DB Providing and fixing following rating and breaking		
24	capacity and pole MCCB with thermomagnetic		
31	release and terminal spreaders in existing cubicle		
	panel board including drilling holes in cubicle panel,		
	making connections, etc. as required.		

	a 100 A,30KA,FPMCCB		4		
	b 125 A,36KA,FPMCCB		0		
	Supplying and fixing of following ways surface/recess mounting, vertical type, 415 V, TPN MCB				
	distribution board of sheet steel, dust protected,				
	duly powder painted, inclusive of 200 A tinned				
	copper bus bar, common neutral link, earth bar, din				
32	bar for mounting MCBs (but without MCBs and				
	incomer) as required.				
	(Note : Vertical type MCB TPDB is normally used				
	where 3 phase outlets are required.) a 4 way (4 +				
	12), Double door b 8 way (4 + 24), Double door				
	COPPER WIRE				
	6mm RED, YELLOW, BLUE & BLACK- EACH - 80x	mtrs	20mtr		
	4mm - RED	Coil	1		
	YELLOW	Coil	1		
	BLUE -	Coil	1		
	BLACK	Coil	1		
	2.5mm - RED	Coil	3		
	YELLOW	Coil	3		
	BLUE	Coil	3		
	BLACK	Coil	3		
	1.5mm COPPER WIRE (EARTH LINE)	Coil	8		
	1.5mm COPPER WIRE (LIGHT CONTROL)	Coil	8		
	CONDUCT PIPE/ CARRIER CAPPING - MCB BOX :	Nos	60		
	12 POLE	Nos	2		
	8 POLE	Nos	2		
	2 POLE	Nos	2		
	MCB /ISOLATOR	1403			
	ISOLATOR 4 POLE	Nos	2		
	MCB 2amp	Nos	6		
	16amp	Nos	12		
	10 amp	Nos	10		
	DP ISOLATOR	Nos	1		
	DP CHANGEOVER	Nos	1		
	LIGHTING/ LED LIGHT		•		
	24 watt CONCEAL /SURFACE	Nos	16		
	12 watt CONCEAL/SURFACE	Nos	16		
	12 watt BULB/CONCEAL / SURFACE	Nos	6		
	LINEAR LIGHT/4ft TUBE 80ft	Nos	20		
	MODULAR SWITCH & SOCKET				
	1 way 6 amp switch	Nos	60		
	1 way 16 amp switch	Nos	16		
	3 pin 6 amp socket	Nos	40		
	3 pin 16 amp socket	Nos	18		
	3 pin socket	Nos	20		
	MODULAR BOX AND PLATE				
	2 md box & plate	Nos	5		
	8 md box & plate	Nos	16		
	6 md box & plate	Nos	10		
	4 md box & plate	Nos	6		
	3 md box & plate	Nos	12		
	1 md box & plate	Nos	20		
	Copper earth wire (non insulated)	mtrs	40		
				•	

TOTAL					
rany exhaust ian point with rany exhaust	1105	0			
Fan/ exhaust fan point with Fan/Exhaust	Nos	8			
6A plug point	Nos	40			
16A plug point	Nos	18			
AC point	Nos	6			
Bentonite powder	bags	2			
copper plate electrodes	Nos	1			

TOTAL ESTIMATED COST Total A – Interior Works :₹	
Total B – Electrical Works : ₹	
TOTAL A+B : ₹	
GST(%) :₹	
Grand Total (Inclusive of GST): ₹	
In Words :()
Declaration:	
I/We hereby agree to execute the above works as pe Document and at the rates quoted above which are ir & unloading, and as per MPWD SOR 2019. Signature of Contractor:	r specifications and scope mentioned in the Tender nclusive of all applicable taxes, transportation, loading
Name:	_
Firm Name:	_
Address:	
Date:	
Contact No.:	

Seal & Signature

FORM OF SUBMISSION OF TENDER (To be filled by the tenderer)

The General Manager, Mizoram Rural Bank, Head Office,MINECO, Khatla, Aizawl, Mizoram 796001

Madam/Dear Sir,

SUBJECT: TENDER FOR INTERIOR WORKS & ELECTRICAL WORKS FOR BUALPUI NG BRANCH, LAWNGTLAI DISTRICT

I/We hereby declare that I/We have carefully gone through the terms and conditions laid down in the Notice Inviting Tender, Schedule of Works, Terms of Payment, and other related documents. I/We have clearly understood all the requirements, and on that basis, I/We submit our Estimate/Price Bid as attached with this tender.

I/We hereby undertake to execute and complete the entire work, or any part thereof as may be directed by you, at the respective rates quoted (enclosed with this submission).

If this tender is accepted, I/We further agree to complete the work included in the estimate within the specified time period mentioned in the tender documents, starting from the date of issuance of the work order.

I/We also agree not to engage any sub-contractors without the prior approval of the Employer. I/We undertake to pay all applicable taxes and charges as per prevailing government norms, and confirm that the rates quoted by me/us are inclusive of all such levies.

Yours Faithfully,	
Contractor's Signatur	e:
Name	:
Address:	:
DATED://	

(Signature of the Tenderer) With Seal

